

Telescoping Masts

Wenzlau Part Number	Description	SIN
------------------------	-------------	-----

Masts, Light Duty

207402	Mast, Hurry-up, 28 lbs., 6 sections, 25 ft. Extended, 6 ft. Nested	383 10
207396	Mast, TR72, 6.6 Meters Extended, 1.6 Meters Nested, 6 kg., Payload up to 7 kg.	383 10
207397	Mast, TR72, 9.5 Meters Extended, 1.8 Meters Nested, 9 kg., Payload up to 5 kg.	383 10
207398	Mast, TR86, 8 Meters Extended, 1.4 Meters Nested, 11 kg., Payload up to 5 kg.	383 10
207399	Mast, TR86, 9 Meters Extended, 1.7 Meters Nested, 12 kg., Payload up to 5 kg.	383 10
207340	Mast, TR86, 11.9 Meters Extended, 1.8 Meters Nested, 13 kg., Payload up to 5 kg.	383 10
209869	Mast, TM6, 6 Meters Extended, 1.7 Meters Retracted, Payload up to 7 kg.	383 10
207401	Mast, TM10, 10 Meters Extended, 2.4 Meters Retracted, Payload up to 7 kg.	383 10
208060	Mast, TM15, 15 Meters Extended, 2.4 Meters Retracted, Payload up to 23 kg.	383 10
209870	Mast, TM34, 34 Meters Extended, 5.8 Meters Retracted, Payload up to 70 kg.	383 10

Masts, Standard Duty

207378	Mast, TMD, 6 sections, 45 lb., Measures 5 ft. Nested, 20 ft. Extended*	383 10
207379	Mast, TMD, 7 sections, 52 lb., Measures 6 ft. Nested, 27 ft. Extended*	383 10
207380	Mast, TMD, 7 sections, 67 lb., Measures 7 ft. Nested, 34 ft. Extended*	383 10
207381	Mast, TMD, 5 sections, 64 lb., Measures 8 ft. Nested, 30 ft. Extended*	383 10
207382	Mast, EX105, 8 Meters Extended, 2 Meters Nested, 20 kgs., Payload up to 30 kg.	383 10
207383	Mast, EX105, 10 Meters Extended, 2.3 Meters Nested, 21 kgs., Payload up to 25 kg.	383 10
207384	Mast, EX105, 12 Meters Extended, 2.7 Meters Nested, 22 kgs., Payload up to 25 kg.	383 10
207385	Mast, EX105, 15 Meters Extended, 3.2 Meters Nested, 25 kgs., Payload up to 25 kg.	383 10
207386	Mast, EX128, 8.0 Meters Extended, 2 Meters Nested, 24 kgs., Payload up to 50 kg.	383 10

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.

Telescoping Masts

Wenzlau Part Number	Description	SIN
207387	Mast, EX128, 10 Meters Extended, 2.3 Meters Nested, 27 kgs., Payload up to 40 kg.	383 10
207388	Mast, EX128, 12 Meters Extended, 2.8 Meters Nested, 30 kgs., Payload up to 35 kg.	383 10
207389	Mast, EX128, 15 Meters Extended, 3.4 Meters Nested, 36 kgs., Payload up to 35 kg.	383 10
207390	Mast, EX128, 18 Meters Extended, 4 Meters Nested, 41 kgs., Payload up to 35 kg.	383 10
207391	Mast, EX128, 23.5 Meters Extended, 4.8 Meters Nested, 49 kgs., Payload up to 35 kg.	383 10
207392	Mast, EX141, 18 Meters Extended, 4 Meters Nested, 48 kgs., Payload up to 40 kg.	383 10
207393	Mast, EX141, 24 Meters Extended, 5.7 Meters Nested, 62 kgs., Payload up to 40 kg.	383 10
207394	Mast, EX141, 30 Meters Extended, 5.8 Meters Nested, 75 kgs., Payload up to 30 kg.	383 10
207395	Mast, EX141, 30 Meters Extended, 6.9 Meters Nested, 75 kgs., Payload up to 25 kg.	383 10

Masts, Heavy Duty

207414	Mast, Non-locking, 110 lb., 25 ft. Extended, 6 ft. Nested*	383 10
207416	Mast, Non-locking, 30 ft. Extended, 7 ft. Nested*	383 10
207417	Mast, Locking, 30 ft. Extended, 7 ft. Nested*	383 10
207418	Mast, Non-locking, 42 ft. Extended, 7 ft. Nested*	383 10
207419	Mast, Locking, 42 ft. Extended, 7 ft. Nested*	383 10
207421	Mast, Non-locking, 48 ft. Extended, 8.5 ft. Nested*	383 10
207422	Mast, Non-locking, 52 ft. Extended, 8.5 ft. Nested*	383 10
207423	Mast, Locking, 52 ft. Extended, 9 ft. Nested*	383 10
207425	Mast, Non-locking, 56 ft. Extended, 9.5 ft. Nested*	383 10
207428	Mast, Locking, 60 ft. Extended, 10 ft. Nested*	383 10
207403	Mast, EXL167, 15.5 Meters Extended, 3.7 Meters Nested, 68 kg., Payload up to 70 kg.	383 10
207404	Mast, EXL167, 21 Meters Extended, 4.2 Meters Nested, 80 kg., Payload up to 60 kg.	383 10
207405	Mast, EXL167, 24 Meters Extended, 4.3 Meters Nested, 86 kg., Payload up to 55 kg.	383 10
207406	Mast, EXL167, 30 Meters Extended, 5 Meters Nested, 98 kg., Payload up to 50 kg.	383 10
207407	Mast, EXL167, 34 Meters Extended, 5.4 Meters Nested, 103 kg., Payload up to 50 kg.	383 10
207408	Mast, EXL195, 24 Meters Extended, 3.9 Meters Nested, 108 kg., Payload up to 50 kg.	383 10
207409	Mast, EXL195, 30 Meters Extended, 5 Meters Nested, 125 kg., Payload up to 75 kg.	383 10
207410	Mast, EXL195, 32.7 Meters Extended, 5.4 Meters Nested, 132 kg., Payload up to 75 kg.	383 10
207411	Mast, EXL195, 40 Meters Extended, 6.3 Meters Nested, 150 kg., Payload up to 50 kg.	383 10
207413	Mast, EXL195, 50 Meters Extended, 7.6 Meters Nested, 160 kg., Payload up to 50 kg.	383 10
209162	Mast, TMD, Locking, Non-Rotatable, 80 ft. Extended, 14.5 ft. Nested*	383 10
209163	Mast, TMD, Locking, Non-Rotatable, 100 ft. Extended, 17 ft. Nested*	383 10
209164	Mast, TMD, Locking, Non-Rotatable, 134 ft. Extended, 20 ft. Nested*	383 10
209165	Mast, TMD, Non-Rotatable, 50 ft. Extended, 9 ft. Nested*	383 10
209166	Mast, TMD, Non-Rotatable, 60 ft. Extended, 10.3 ft. Nested*	383 10
209167	Mast, TMD, Non-Rotatable, 76 ft. Extended, 10.8 ft. Nested*	383 10
209168	Mast, TMD, Non-Rotatable, 100 ft. Extended, 15.7 ft. Nested*	383 10
209169	Mast, TMD, Rotatable, 38 ft. Extended, 10 ft. Nested*	383 10
209170	Mast, TMD, Rotatable, 48 ft. Extended, 12 ft. Nested*	383 10

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.

Telescoping Masts

Wenzlau Part Number	Description	SIN
209171	Mast, TMD, Rotatable, 45 ft. Extended, 13.6 ft. Nested*	383 10
207172	Mast, TMD, Rotatable, 67 ft. Extended, 14 ft. Nested*	383 10
209762	Mast, Locking, 104 in. Extended, 8 ft. Telemetry System with Trailer	383 10
209563	Mast, Stiletto, with Electric Screw Drive, 4 Meter (Qty. 1-2)	383 10
209563	Mast, Stiletto, with Electric Screw Drive, 4 Meter (Qty. 3-5)	383 10
209563	Mast, Stiletto, with Electric Screw Drive, 4 Meter (Qty. 6-9)	383 10
209563	Mast, Stiletto, with Electric Screw Drive, 4 Meter (Qty. 10+)	383 10
209148	Mast, Stiletto, with Electric Screw Drive, 6 Meter (Qty. 1-2)	383 10
209148	Mast, Stiletto, with Electric Screw Drive, 6 Meter (Qty. 3-5)	383 10
209148	Mast, Stiletto, with Electric Screw Drive, 6 Meter (Qty. 6-9)	383 10
209148	Mast, Stiletto, with Electric Screw Drive, 6 Meter (Qty. 10+)	383 10
209565	Mast, Stiletto, with Electric Screw Drive, 10 Meter (Qty. 1-2)	383 10
209565	Mast, Stiletto, with Electric Screw Drive, 10 Meter (Qty. 3-5)	383 10
209565	Mast, Stiletto, with Electric Screw Drive, 10 Meter (Qty. 6-9)	383 10
209565	Mast, Stiletto, with Electric Screw Drive, 10 Meter (Qty. 10+)	383 10
209566	Mast, Stiletto, with Electric Screw Drive, 15 Meter (Qty. 1-2)	383 10
209566	Mast, Stiletto, with Electric Screw Drive, 15 Meter (Qty. 3-5)	383 10
209566	Mast, Stiletto, with Electric Screw Drive, 15 Meter (Qty. 6-9)	383 10
209566	Mast, Stiletto, with Electric Screw Drive, 15 Meter (Qty. 10+)	383 10

*TMD standard duty and heavy duty pneumatic telescoping masts are interchangeable for rotatable or non-rotatable se

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.

Mast Accessories

Wenzlau Part Number	Description	SIN
---------------------	-------------	-----

Mast Accessories, Finish, Lukon 24 (Charcoal Grey)

207430	Lubricated, Abrasion Resistant Finish for All Standard Duty Models	383 10
207431	Lubricated, Abrasion Resistant Finish for Models 6-25 & 7-30	383 10
207432	Lubricated, Abrasion Resistant Finish for Models 6-30 & 7-42	383 10
207433	Lubricated, Abrasion Resistant Finish for Models 8.5-52, 9-58 & 10-60, 8.5-48, 9.5-56	383 10

Mast Accessories, Finish, Hard Lube (Black Hard Coat)

207434	Hard Anodize Finish for High Abrasion and Corrosion Resistance, Reduced Wear and Extended Mast Life for All Standard Duty Models	383 10
207435	Hard Anodize Finish for High Abrasion and Corrosion Resistance, Reduced Wear and Extended Mast Life for Models 6-25 & 7-30	383 10
207436	Hard Anodize Finish for High Abrasion and Corrosion Resistance, Reduced Wear and Extended Mast Life for Models 6-30 & 7-42	383 10
207437	Hard Anodize Finish for High Abrasion and Corrosion Resistance, Reduced Wear and Extended Mast Life for Models 8.5-52, 9-58 & 10-60, 8.5-48, 9.5-56	383 10

Mast Accessories, Positioners

209177	Positioner, Low Profile, Standard Duty, 115V	383 10
209178	Positioner, Low Profile, Heavy Duty, 115V	383 10
207440	Positioner, Quick Set Pan and Tilt	383 10
207439	Positioner, Quick Set Joystick Control	383 10
207438	Positioner, Quick Set Pan and Tilt, Variable Speed	383 10
207441	Positioner, Quick Set Joystick Control, Variable Speed	383 10
207442	Positioner, Quick Set Joystick, 220V/50Hz	383 10
207446	Positioner, Quick Set Pan and Tilt, 20 lb. Capacity	383 10
207447	Positioner, Quick Set Joystick Control	383 10
209173	Mast Rotator, Electric with Adapter Plates and Controls	383 10
209174	Mast Rotator, Electric with Adapter Plates and Controls and Programmable Position Control	383 10
209175	Cable, Pan and Tilt, Shielded, 12 Conductor (price per foot)	383 10
209176	Cable, Pan and Tilt, 7 Conductor (price per foot)	383 10

Mast Accessories, External Mounting Hardware

207448	External Mounting Support Bracket for 5-20, 6-27, 7-34, and 8-30*	383 10
207449	External Mounting Shelf Bracket for 5-20, 6-27, 7-34, and 8-30	383 10
207450	External Mounting Support Bracket for 6-25 and 7-30*	383 10
207451	External Mounting Shelf Bracket (Rotatable) for 6-25 and 7-30	383 10

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.

Mast Accessories

Wenzlau Part Number	Description	SIN
207452	External Mounting Shelf Bracket (Non-Rotatable) for 6-25 and 7-30	383 10
207453	External Mounting Support Bracket for 7-42, 8.5-48, 8.5-52, 9.5-56, 9-58, 9-60, 10-60, 14.5-80, 17-100 and 20-134*	383 10
207454	External Mounting Shelf Bracket (Rotatable) for 7-42, 8.5-48, 8.5-52, 9.5-56, 9-58, 9-60, 10-60, 14.5-80, 17-100 and 20-134	383 10
207455	External Mounting Shelf Bracket (Non-Rotatable) for 7-42, 8.5-48, 8.5-52, 9.5-56, 9-58, 9-60, 10-60, 14.5-80, 17-100 and 20-134	383 10
207456	HMMWV Mounting Kit, Mounting Base, Electrical Equipment, MT-6967/G	383 10
207457	Tracked Vehicle Mounting Kit, Mounting Base, Electrical Equipment, MT-6968/G	383 10
209747	Antenna Mounting Kit	383 10
207458	Antenna Mounting Kit, Shelter	383 10
207047	Antenna Mast, External Mount, with Trailer	383 10

Mast Accessories, Pneumatic Systems

207460	Pneumatic System, 115 VAC, 1/6 HP	383 10
207461	Pneumatic System, 12 VDC, 1/8 HP	383 10
207462	Pneumatic System, 115 VAC, 1/2 HP w/ Tank	383 10
207463	Pneumatic System, 230 VAC, 1/2 HP w/ Tank	383 10
207464	Pneumatic System, 12 VDC, 1/3 HP w/ Tank	383 10
207465	Pneumatic System, 115 VAC & 12 VDC, 1/2 & 1/3 HP w/ Tank	383 10
207466	Pneumatic System, 115 VAC, 3/4 HP	383 10
207467	Pneumatic System, 230 VAC, 3/4 HP	383 10
207468	Pneumatic System, 12 VDC, 1/3 HP	383 10
207469	Pneumatic System, 220V/50Hz, 1/2 HP	383 10
207470	Pneumatic System, 220V/50Hz, 1/2 HP, w/ Tank	383 10
207471	Pneumatic System, 24 VDC, 1/3 HP	383 10
207472	Pneumatic System, 24 VDC, 1/3 HP w/ Tank	383 10
207473	Hand Pump	383 10
207474	Pneumatic Kit	383 10
207475	Filter-Regulator-Lubricator	383 10
207476	Filter-Lubricator	383 10
207477	Swivel Air Fitting with Adapter	383 10

Mast Accessories, Nycoil

209181	Nycoil, 1/2" ID x 9" OD (price per foot)***	383 10
209182	Nycoil, 3/4" ID x 13" OD (price per foot)***	383 10
209183	Nycoil, 1" ID x 16-1/2" OD (price per foot)***	383 10

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.

Mast Accessories

Wenzlau Part Number	Description	SIN
---------------------	-------------	-----

Mast Accessories, Strain Relief Connectors

209184	90° Ell for 1/2" ID Nycoil	383 10
209185	90° Ell for 3/4" ID Nycoil	383 10
209186	90° Ell for 1" ID Nycoil	383 10
209187	Nycoil Support Cable, Attached to Any Mast Collar, Fits 3/4" and 1" Nycoil	383 10

Mast Accessories, Guying

207328	10-60 Guy Kit	383 10
207478	1 Level/4 Way Guying from Top for TMD-7-30-4xx Mast Assembly**	383 10
207481	1 Level/4 Way Guying from Top for TMD-7-42-4xx Mast Assembly**	383 10
207479	2 Level/4 Way Guying for Vehicle Mtg (on 5.25" & 3.75" Collars) for TMD-7-30-4xx Mast Assembly**	383 10
207482	2 Level/4 Way Guying for Vehicle Mtg (on 6.00" & 3.75" Collars) for TMD-7-42-4xx Mast Assembly**	383 10
207480	3 Level/4 Way Guying for Field Mtg (on 6.75", 5.25" & 3.75" Collars) for TMD-7-30-4xx Mast Assembly**	383 10
207483	4 Level/4 Way Guying for Field Mtg (on 9.00", 8.25", 6.00" & 3.75" Collars) for TMD-7-42-4xx Mast Assembly**	383 10
207489	Guy Reel P4-7.5, Blue, Polyester	383 10
207490	Guy Reel P4-10, Red, Polyester	383 10
207491	Guy Reel P4-12.5, White, Polyester	383 10
207492	Spike	383 10
207493	Hammer, Sledge, 400 cm Long	383 10
207494	Stake, Guy, L500	383 10
209424	Transport Bag, 560x210x180cm, 1.3 kg., Green/Sand	383 10

Mast Accessories, Miscellaneous

207484	Lock Defeat Mechanisms for TMD-7-30-4xx Mast Assembly	383 10
207486	Lock Defeat Mechanisms for TMD-6-30-4xx, 7-42-4xx, 9-52-4xx, 9-60-4xx, 9.5-29-4xx Mast Assembly	383 10
207485	Cable guides for TMD-7-30-4xx Mast Assembly	383 10
207487	Cable guides for TMD-6-30-4xx, 7-42-4xx, 9-52-4xx, 9-60-4xx, 9.5-29-4xx Mast Assembly	383 10
207488	Canvas Cover for Standard Duty Masts (non-locking models)	383 10
207819	Standard External Wiper Bumpers, for 7-30-4xx Pneumatic Masts	383 10
209188	Standard External Wiper Bumpers, for TMD 6-30-4xx, 7-42-4xx, 9-52-4xx, 9-60-4xx, 9.5-29-4xx Mast Assembly	383 10
208718	Standard External Wiper Bumpers, for TMD 6-30-4xx, 7-42-4xx, 9-52-4xx, 9-60-4xx, 9.5-29-4xx Mast Assembly, Super Duty	383 10
209179	D-TEC w/ Cable Nycoil and Installation Kit	383 10

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.

Mast Accessories

Wenzlau Part Number	Description	SIN
209780	D-TEC Air Valve Kit	383 10
209780	Close Azimuth Design for TMD 7-30 Mast	383 10
209780	Close Azimuth Design for TMD 7-42 Mast TMD-6-30-4xx, 7-42-4xx, 9-52-4xx, 9-60-4xx, 9.5-29-4xx Mast	383 10

Mast Accessories for Stiletto Masts

210150	Hand-Held Remote	383 10
210151	Height Read-Out for 4/10 Meter Masts	383 10
210152	Height Read-Out for 15 Meter Masts	383 10
210153	Right Angle Gear Drive	383 10
207496	Mast Section, 30 mm Diameter	383 10
207497	Mast Section, 37 mm Diameter	383 10
207498	Mast Section, 44 mm Diameter	383 10
207499	Mast Section, 51 mm Diameter	383 10
207500	Mast Section, 58 mm Diameter	383 10
207501	Mast Section, 65 mm Diameter	383 10
207502	Mast Section, 72 mm Diameter	383 10

*When mast is purchased w/ external mounting hardware, external support bracket is included. External mounting she

**Guying includes anchors and anchor installation tools.

***Nycoil length calculations for standard non-locking collar mast models:

- TMD-5-20 - 30 ft.
- TMD-6-27 - 40 ft.
- TMD-7-30 - 50 ft.
- TMD-7-34 - 60 ft.
- TMD-7-42 - 70 ft.
- TMD-8.5-52 - 100 ft.
- TMD-9.58 - 100 ft.
- TMD-8.5-48 - 80 ft.
- TMD-9.5-56 - 100 ft.

Notes

1. GSA Federal Supply Schedule contract number: GS-07F-0283M.
2. Freight is F.O.B. origin.